



Pipe Line


45 and 90 Deg Elbow




45 Deg Elbow			
Size	ØD	L	T
0.5"	12.7	13.16	1.65
0.75"	19.05	23.8	1.65
1"	25.4	15.8	1.65
1.5"	38.1	23.8	1.65
2"	50.8	31.75	1.65
2.5"	63.5	39.6	1.65
3"	76.2	47.6	1.65
4"	101.6	63.5	2.1



90 Deg Elbow			
Size	ØD	L	T
0.5"	12.7	19.05	1.65
0.75"	19.05	28.58	1.65
1"	25.4	38.1	1.65
1.5"	38.1	57.2	1.65
2"	50.8	76.2	1.65
2.5"	63.5	95.25	1.65
3"	76.2	114.3	1.65
4"	101.6	152.4	2.1




90 Deg Long Elbow			
Size	ØD	L	T
0.5"	12.7	45	1.65
0.75"	19.05	60	1.65
1"	25.4	52.4	1.65
1.5"	38.1	74.6	1.65
2"	50.8	103.2	1.65
2.5"	63.5	131.8	1.65
3"	76.2	160.3	1.65
4"	101.6	211.1	2.1



90 Deg Elbow with Ferrule Ends


Size	øD	L	T
0.5"	12.7	41.3	1.65
0.75"	19.05	41.3	1.65
1"	25.4	50.8	1.65
1.5"	38.1	69.9	1.65
2"	50.8	88.9	1.65
2.5"	63.5	107.95	1.65
3"	76.2	127	1.65
4"	101.6	168.2	2.1



DIN 90 Deg Elbow


Size	øD	L	T
DN 10	13	26	1.5
DN 15	19	35	1.5
DN 20	23	40	1.5
DN 25	29	50	1.5
DN 32	35	55	1.5
DN 40	41	60	1.5
DN 50	53	70	1.5
DN 65	70	80	2
DN 80	85	90	2
DN 100	104	100	2
DN 125	129	187.5	2
DN 150	154	225	2
DN 200	204	301	2
DN 250	254	375	2
DN 300	306	300	3

Tee, Reducing Tee, and Cross




Equal Tee				
Size	ØD	L	L1	T
0.5"	12.7	38.1	19.05	1.65
0.75"	19.05	57.2	28.6	1.65
1"	25.4	57.2	28.6	1.65
1.5"	38.1	84.2	42.1	1.65
2"	50.8	104.8	52.4	1.65
2.5"	63.5	119.0	59.5	1.65
3"	76.2	131.8	65.9	1.65
4"	101.6	174.6	87.3	2.1


Long Equal Tee				
Size	ØD	L	L1	T
0.5"	12.7	95.2	47.6	1.65
0.75"	19.05	95.2	47.6	1.65
1"	25.4	95.2	47.6	1.65
1.5"	38.1	114.4	57.2	1.65
2"	50.8	152.4	76.2	1.65
2.5"	63.5	152.4	76.2	1.65
3"	76.2	165.2	82.6	1.65
4"	101.6	196.8	98.4	2.1




Equal Tee with Ferrule Ends				
Size	ØD	L	L1	T
0.5"	12.7	63.5	31.75	1.65
0.75"	19.05	120.6	60.3	1.65
1"	25.4	120.6	60.3	1.65
1.5"	38.1	139.8	69.9	1.65
2"	50.8	177.8	88.9	1.65
2.5"	63.5	177.8	88.9	1.65
3"	76.2	190.6	95.3	1.65
4"	101.6	228.4	114.2	2.1




Equal Reducing Tee					
Size	ØD	Ød	L	L1	T
1.5"x1"	38.1	25.4	84.2	34.9	1.65
2"x1"	50.8	25.4	104.8	41.3	1.65
2"x1.5"	50.8	38.1	104.8	48.4	1.65
2.5"x1"	63.5	25.4	119	47.63	1.65
2.5"x1.5"	63.5	38.1	119	54.75	1.65
2.5"x2"	63.5	50.8	119	58.7	1.65
3"x1"	76.2	25.4	131.8	54	1.65
3"x1.5"	76.2	38.1	131.8	65.1	1.65
3"x2"	76.2	50.8	131.8	65.1	1.65
3"x2.5"	76.2	63.5	131.8	65.9	2
4"x1"	101.6	25.4	174.6	66.7	2
4"x1.5"	101.6	38.1	174.6	108.0	2
4"x2"	101.6	50.8	174.6	108.0	2
4"x2.5"	101.6	63.5	174.6	108.0	2
4"x3"	101.6	76.2	174.6	108.0	2




DIN Equal Tee				
Size	ØD	L	L1	T
DN 10	13	54	26	1.5
DN 15	19	70	35	1.5
DN 20	23	94	47	1.5
DN 25	29	100	50	1.5
DN 32	35	110	55	1.5
DN 40	41	120	60	1.5
DN 50	53	140	70	1.5
DN 65	70	160	80	2
DN 80	85	180	90	2
DN 100	104	200	100	2
DN 125	129	375	187.5	2
DN 150	154	450	225	2
DN 200	204	600	300	2
DN 250	254	750	375	2
DN 300	306	750	375	3



Equal Short Cross				
Size	ØD	L	L1	T
1"	25.4	57.2	28.6	1.65
1.5"	38.1	84.2	42.1	1.65
2"	50.8	104.8	52.4	1.65
2.5"	63.5	119.0	59.5	1.65
3"	76.2	131.8	65.9	1.65
4"	101.6	174.6	87.3	2



True Wye	
Size	A
0.5"	50.8
0.75"	50.8
1"	76.2
1.5"	76.2
2"	101.6
2.5"	127
3"	152.4
4"	203.2




Lateral Wye			
Size	A	B	C
0.5"	152.4	127	25.4
0.75"	152.4	127	25.4
1"	152.4	127	25.4
1.5"	187.3	173.1	30.2
2"	222.2	180.9	41.3
2.5"	254	215.9	38.1
3"	273.1	225.4	47.6
4"	325.5	273.1	52.4

Concentric and Eccentric Reducer



Concentric Reducer without Straight End				
Size	øD	ød	L	T
0.75"x0.5"	19.05	12.7	50.8	1.65
1"x0.5"	25.4	12.7	50.8	1.65
1.5"x0.5"	38.1	12.7	101.6	1.65
2"x0.5"	50.8	12.7	152.4	1.65
1"x0.75"	25.4	19.05	25.4	1.65
1.5"x0.75"	38.1	19.05	76.2	1.65
1.5"x1"	38.1	25.4	50.8	1.65
2"x1"	50.8	25.4	101.6	1.65
2"x1.5"	50.8	38.1	50.8	1.65
2.5"x1"	63.5	25.4	152.4	1.65
2.5"x1.5"	63.5	38.1	101.6	1.65
2.5"x2"	63.5	50.8	50.8	1.65




Size	øD	ød	L	T
3"x1"	76.2	25.4	203.2	1.65
3"x1.5"	76.2	38.1	152.4	1.65
3"x2"	76.2	50.8	101.6	1.65
3"x2.5"	76.2	63.5	50.8	1.65
4"x1.5"	101.6	38.1	254	2
4"x2"	101.6	50.8	203.2	2
4"x2.5"	101.6	63.5	152.4	2
4"x3"	101.6	76.2	101.6	2
6"x2"	152.4	50.8	406.4	2
6"x3"	152.4	76.2	304.8	2
6"x4"	152.4	101.6	203.2	2





Eccentric Reducer without Straight End

Size	øD	ød	L	T
0.75"x0.5"	19.05	12.7	25.4	1.65
1"x0.5"	25.4	12.7	50.8	1.65
1.5"x0.5"	38.1	12.7	101.6	1.65
2"x0.5"	50.8	12.7	152.4	1.65
1"x0.75"	25.4	19.05	25.4	1.65
1.5"x0.75"	38.1	19.05	76.2	1.65
2"x0.75"	50.8	19.05	127	1.65
1.5"x1.0"	38.1	25.4	50.8	1.65
2"x1"	50.8	25.4	101.6	1.65
2"x1.5"	50.8	38.1	50.8	1.65
2.5"x1"	63.5	25.4	152.4	1.65
2.5"x1.5"	63.5	38.1	101.6	1.65



Size	øD	ød	L	T
2.5"x2"	63.5	50.8	50.8	1.65
3"x1"	76.2	25.4	203.2	1.65
3"x1.5"	76.2	38.1	152.4	1.65
3"x2"	76.2	50.8	101.6	1.65
3"x2.5"	76.2	63.5	50.8	1.65
4"x1.5"	101.6	38.1	254	2
4"x2"	101.6	50.8	203.2	2
4"x2.5"	101.6	63.5	152.4	2
4"x3"	101.6	76.2	101.6	2
6"x2"	152.4	50.8	406.4	2
6"x3"	152.4	76.2	304.8	2
6"x4"	152.4	101.6	203.2	2



DIN Concentric and Eccentric Reducer


Size	ØD	Ød	T	L	L1	T1
32x25	34	28	1.5	25	16.5	1.5
40x25	40	28	1.5	23	33	1.5
40x32	40	34	1.5	23	16.5	1.5
50x25	52	28	1.5	27	66	1.5
50x32	52	34	1.5	28	49.5	1.5
50x40	52	40	1.5	27	33	1.5
65x25	70	28	1.5	35	75	1.5
65x40	70	40	2	39	77	1.5
65x50	70	52	2	29	44	1.5
80x50	85	52	2	45	85	1.5
80x65	85	70	2	33	41.2	2
100x50	104	52	2	50	137.5	1.5
100x65	104	70	2	44	93.5	2
100x80	104	85	2	60	52.5	2

Hose Ferrule Adapter

Our Food Grade Stainless Hose Ferrule Adapters can be used to connect hoses to your pipe line without any special tools. Just attach a hose clip to your hose and adapter and its ready to use.


Size Availability- 0.5" to 4" (if you need other sizes, call us to request it

Material- SS 304 or SS 316L



Size	øA	øB	øC	L
0.5"	9.5	13.7	25	38
0.75"	15.8	21.4	25	38
1"	20.6	25.4	50.5	43
1.5"	33.2	38.1	50.5	43
2"	46	50.8	64	58.7
2.5"	58.7	63.5	77.5	59.5
3"	72	76.2	91	78.6
4"	97.6	101.6	119	85.5

Tube Cap



SMS / 3A	OD	ID	DIN	OD	ID
0.5"	12.7	9.4	-	-	-
0.75"	19.05	15.75	-	-	-
1"	25.4	22.1	DN25	29	26
-	-	-	DN32	35	32
1.5"	38.1	34.8	DN40	41	38
2"	50.8	47.5	DN50	53	50
2.5"	63.5	60.2	DN65	70	66
3"	76.2	72.9	DN80	85	81
4"	101.6	97.4	DN100	104	100
-	-	-	DN125	129	125
-	-	-	DN150	154	150

Pipe Hangers

Our Dairy Pipe Supports are used to hang Food Grade Pipes.


They come in **Bolted Type** and **Wing Nut Type**.

Size Availability- 0.5" to 4" (if you need other sizes, call us to request it)

Material- SS 304




TH-1



TH-1 Pipe Support		
Size	ØA	L
1"	25.4	66
1.5"	38.1	76
2"	50.8	90
2.5"	63.5	105
3"	76.2	120
4"	101.6/104	146
6"	152.4	-



TH-5



TH-5 Pipe Support			
Size	ØA1	H	ØC
1"	25.4	45	8
1.5"	38.1	51.5	10
2"	51	58	12
2.5"	63.5	64	12
3"	76.1	70.5	15
4"	101.6	60	15
5" / DIN 125	129	60	15
6" / DIN 150	154	60	15
8" / DIN 200	204	60	15
10" / DIN 250	254	60	15
12" / DIN 300	306	60	15